Healthy Cooking Tips

KEEPING THE "HEART" IN YOUR FAVORITE RECIPES

With a few changes, you can keep the heart in family favorites and add the health. Here's how:

Dairy Products

- Cook with lowfat, fat free, nonfat dry, or evaporated fat free milk.
- Bake or cook with 3 egg whites and 1 egg yolk, instead of 2 whole eggs. Or use 2 egg whites or
 ¹/4 cup of egg substitute, instead of 1 whole egg.

Spices and Flavorings

Use a variety of herbs and spices in place of salt, and choose low-sodium bouillon and broths.

Oils and Butter

- Use cooking oil spray to lower fat and calories.
- Use a small amount of vegetable oil, instead of lard, butter, or other fats that are hard at room temperature.

Meats and Poultry

- Choose lean cuts of meat and remove any visible fat.
- Remove skin from chicken and other poultry before cooking.

Sandwiches and Salads

- Use fat free or lowfat dressing, yogurt, or mayonnaise.
- For salad dressing, use equal parts water and vinegar, and half the oil.

Soups and Stews

 Remove fat from homemade broths, soups, and stews by preparing them ahead and chilling them. Before reheating, lift the hardened fat off the surface.

Breads

- Make muffins, quick breads, and biscuits by using no more than 1-2 Tbsp of fat for each cup of flour
- For muffins or quick breads, use 3 ripe, well-mashed bananas, instead of \(^1/2\) cup butter or oil. Or, substitute a cup of applesauce for a cup of butter, margarine, oil, or shortening.

Desserts

- Make a pie crust with only ¹/2 cup margarine for every 2 cups flour. Use soft margarines (liquid or tub types).
- For chocolate desserts, use 3 Tbsp of cocoa for every ounce of baking chocolate. If you need to replace the fat in chocolate, add up to 1 Tbsp of vegetable oil.
- Make cakes and soft-drop cookies by using no more than 2 Tbsp of fat for each cup of flour.

Source: www.nih.gov NIH Publication No. 03-5227 February 2003

